RIGHT-OF-ENTRY City of Lawrence IDNR Division of State Parks

Whereas, the State of Indiana, through its Department of Natural Resources ("IDNR"), is the owner of certain properties across Indiana known and operated as Indiana State Parks; and

Whereas, IDNR owns certain land in Marion County, Indiana, totaling 1393.27 acres, obtained by IDNR from the United States of America ("USA"), as surplus property now known as Fort Benjamin Harrison State Park, hereafter referred to as "the Premises;" and

Whereas, the City of Lawrence ("City") is an Indiana municipal corporation that owns and operates certain sanitary sewer main(s) and other appurtenances ("Sewer System") located on the Premises; and

Whereas, the City desires to improve and replace portions of the existing Sewer System ("Expansion Project"); and

Whereas, the City requires access to the Premises in order to undertake the Expansion Project; and

Whereas, IDNR desires to enter into this Right of Entry ("ROE") to allow the City access to the Premises pursuant to the terms herein.

Now, therefore, the Parties to this ROE agree as follows:

- IDNR hereby grants and provides to the City and its duly authorized agents, contractors, subcontractors and employees (collectively, the "City Representatives") the right to access the Premises to prepare the site for purposes relating to the Expansion Project, subject to the following conditions:
- a. Only authorized City Representatives may enter the Premises for the sole purpose of completing the aforementioned purposes. Any deviation from what is contained in this ROE requires the prior written approval from IDNR.
- b. The ROE shall consist of and be confined in accordance with the area shown in **Exhibit A**, attached and incorporated herein.
- c. City Representatives must enter and exit as designated by the Fort Benjamin Harrison State Park Property Manager ("Property Manager"). Property road(s) shall not be blocked or usage impeded or impaired by any work, persons, equipment or facilities by the City.


- d. City Representatives shall contact the Property Manager, or his/her designee, at least two (2) work days **prior** to entering the Premises so that work can be coordinated with property operations.
- e. City Representatives may remove trees and brush as shown in Exhibit A using safe and accepted arboricultural practices in direct coordination with the Property Manager. The Property Manager may direct that certain trees be cut into saw logs and retained by DNR. Tree limbs and tops shall be removed and disposed of offsite at the City's expense.
- f. Except as provide in subsection 1.(e), no additions to or alterations of the Premises shall be made without the prior written consent of the IDNR.
- g. This ROE is further contingent upon the City obtaining all necessary federal, state, and local permits or other authorizations, by whatever name, prior to initiating and during the Expansion Project.
- h. The City shall make no modifications that damage or materially injure the Premises or create a nuisance thereon.
- (2.) IDNR may, at its sole discretion and at any time, revoke this ROE without penalty or liability. Such Revocation shall be effective upon delivering written notice to the City.
- (3.) City agrees to remove any and all equipment prior to the effective date of such revocation.
- (4.) This ROE automatically terminates upon the <u>earliest</u> occurrence of the following: (a) March 1, 2026, or (b) written revocation by IDNR.
- (5.) This ROE conveys no right, title, or interest in the Premises other than what is contained herein, and is merely evidence of the permission granted to the City for the specific purpose stated herein. Further, this ROE may not be transferred or assigned by the City.
- (6.) There shall be no cost to the IDNR the City carrying out the terms of this ROE.
- (7.) Within the limits of their respective legal powers, the parties to this ROE shall protect the Premises against pollution of its air, ground, and water. The disposal of any toxic or hazardous materials within the Premises is specifically prohibited. Such regulations, conditions, or instructions in effect or prescribed by the EPA, or any Federal, State, or local governmental agency are hereby made a condition of this ROE.
- (8.) The State shall not be responsible for injuries to persons or property which may arise from or be incident to the exercise of the privileges herein granted, or injuries to the person or property of the City's agents or employees, or others who may be on the Premises at the City's invitation, and the City shall hold the State of Indiana harmless from any and all such claims.
- (9.) The City shall indemnify, defend, exculpate and hold the IDNR and its agents and employees harmless from any expenses, liabilities, claims, or costs of any nature whatsoever incurred by or through the City's activities under this ROE.

- (10.) This ROE shall become effective upon the last dated signature below. By signing below, the parties hereby agree to the terms, conditions and limitations contained herein.
- (11.) This ROE supersedes any previously issued ROE for the same purpose and project.

City of Lawrence, Indiana	State of Indiana Department of Natural Resources
By:(Name, Title) City of Lawrence	By: (for) Alan Morrison, Director Indiana Department of Natural Resources
Date:	Date:

CITY OF LAWRENCE

FORT HARRISON COLLECTION IMPROVEMENTS - PHASE III SYSTEM CAPACITY



MAYOR - DEBORAH WHITFIELD

FORT HARRISON REUSE AUTHORITY - HEATHER MILIKAN

CITY OF LAWRENCE

18 - 22	17	14 - 16	13	10 - 12	5 - 9	4	2 - 3	_	SHEET NO.	
DETAILS	DATA TABLES	EROSION CONTROL	SWPPP	SEWER REHABILITATION	PLAN AND PROFILE	SHEET LAYOUT	GENERAL INFORMATION	TITLE SHEET	DESCRIPTION	INDEX

	-
NFORMA	NCHN
TION	AR
SHEFT	SS
2	
FOR	

THE TOPOGRAPHIC SURVEY AND DESIGN USED THE FOLLOWING DATUM: HORIZONTAL DATUM: US STATE PLANE 1983, NAD 1983 (CONUS)

WEATICAL DATUM: (NAVD 88) (GEOID 12)

SECTION 6, T16N, R4E AND R5E, INDIANAPOLIS EAST, IND. QUADRANGLE

DATUM

BENCHMARKS
SEE GENERAL INFORMATION SHEET
BENCHMARK DESCRIPTIONS

L03624003

TITLE SHEET

FORT HARRISON COLLECTION SYSTEM CAPACITY IMPROVEMENTS - PHASE III





UTILITIES

G09871@att.com ATTN: ATT INDIANA UTILITY COORDINATION COMMUNICATION- AT&T - DISTRIBUTION EMAIL:

ELECTRIC - AES CORPORATION
1230 W. MORRIS ST.
INDIANAPOLIS, IN 46221
Ph. (317) 261-8085
email: brenton-vogt@aes.com
ATTN: BRENTON VOGT

GAS, SEWER, WATER - CITIZENS ENERGY (MDIANAPOLIS)
2150 DR, MARTIN LUTHER KING JR ST
11010ANAPOLIS, IN 46200
Ph; (371) 927-9038
email: utilitycordinatin@citizensenergygroup.com SEWER, WATER CITY OF LAWRENCE
9201 HARRISON PARK CT
INDIANAPOLIS, IN 48216
Ph; (317) 524-3301
email: ahal@ai/yoflawrence.org
ATTN: ANDREW HALL

FIBER OPTIC, STORM, LIGHTS - CITY OF
MUIDAMAPOLIS DEPARTMENT OF PUBLIC WORKS
1200 S MADISON JAVE, SUITE 200
Ph; (317) 327-2302
email: utility.cooffiantsion@indy.gov
ATTN: THERESA MENDOZA

BK

SECTION CORNER MONUMENT, DISK LAT: 1678176.1 LONG: 231597.6

Z

FLUSH

WITH.

ROAD

CS CS

FLUSH

WITH ROAD

BENCHMARKS DESCRIPTION

BM



TBM BM BM

NORTH FLANGE BOLT ON HYDRANT LAT: 1677676.4 LONG: 232759.3

#301

#2 #1

SECTION CORNER MONUMENT, DISK IN LAT: 1672837.2 LONG: 231618.4 ARROW BOLT ON HYDRANT FLANGE LAT: 1678148.4 LONG: 233319.3

SYMBOL LEGEND

DUARTER CORNER

COLUMN CO. DE CONTRACTO DE LA CONTRACTO DE CO. COLUMN CO. CO. COLUMN CO.		2			NI NI NI			HW	A A A A A A A A A A A A	0 0 0 0 0 0 0 0 0 0		0 0 0 0 0	017	1	FO	× ×	JGE	DE .				COW -	OHCATV -	CATV(FO)	CATV		5	7. married 12.
PROPOSED RIGHT-OF-WAY	EXISTING RIGHT-OF-WAY	PROPERTY LINE	PM CROSSWALK	PERMANENT EASEMENT	SAMITARY LATERAL	KEYWAY	HEDGE LINE	HEATED WATER	PROPOSED HAND RAIL	EXISTING HAND RAIL	PROPOSED GUARD RAIL	EXISTING GUARD RAIL	GAS (SIZE)	EXISTING FLOW LINE	FIBER OPTIC LINE	FENCE	UNDERGROUND ELECTRIC LINE	OVERHEAD ELECTRIC LINE	ELECTRIC CONDUIT	DITCH RIGHT (PROFILE)	DITCHLEFT (PROFILE)	COMMUNICATION LINE	OVERHEAD CABLE TV LINE	CABLE TV (FIBER OPTIC) LINE	CABLE TV LINE	BREAK	PROPOSED ACCESS CONTROL	EXISTING ACCESS CONTROL
	FRW	W10"	A			Α				ust	740	ustico)	DHT/FOI	-			"HIMMINITHIANIANIANIANIA	0 0			(FN(FN)))			- MXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		RW24"	
CONSTRUCTION LIMITS	WATER IRRIGATION LINE	WATER LINE (SIZE)	UNDERDRAINLINE	TREE LINE	PROPOSED TOP, BOTTOM OF SLOPE	EXISTING TOP/BOTTOM OF SLOPE	TEMPORARY TREE EASEMENT	TEMPORARY CONSTRUCTION EASEMENT - 2	TEMPORARY CONSTRUCTION EASEMENT - 1	UNDERGROUND TELEPHONE	OVERHEAD TELEPHONE	UNDERGROUND TELEPHONE (FIBER OPTIC)	OVERHEAD TELEPHONE (FIBER OPTIC)	STORM LINE (WATER MAIN QUALITY)	STORM PROPOSED	STORM EXISTING	STAGE CONSTRUCTION JOINT	SILTFENCE	SHEET PILING	SECTIONLINE	SAWITARY FORCE MAIN	COMBINATION SEWER PIPE	SANITARY PIPE	REVERSE SLOPE	REMOVAL - 2	REMOVAL - 1	RAW WATER LINE (SIZE)	RAIL ROAD TRACKS

WATER METER
WATER MANHOLE
WATER VALVE
ELECTRIC BOX
ELECTRIC METER
ELECTRIC MANHOLE
ELECTRIC MANHOLE
ELECTRIC MANHOLE

WATER SERVICE BOX

CLEAMOUT

GAS TANK FILLER CAP
INSPECTION WELL
AMETER UNNOVOWN
AMANHOLE

DECIDUOUS TREE STUMP CONIFEROUS TREE

ANTENNA
BOLLAND
CATILE PASS
BELIAGE NANGE NANGE

RAILROAD CROSSING GATE

ORNAMENTAL STREET LIGHT PARKING LOT LIGHT DOUBLE

STORM MANHOLE BENCHMARK END SECTION CONCRETE INLET AT CURB

TRAFFIC SIGNAL POST 3 WAY

DOWNSPOUT

CATCH BASIN SOLVARE CATCH BASIN

UTLITY RISER AT POLE

UTLITY HANNING SIGN

MALIE UNROCHEN

MALIE UNROCHEN

STRANFOLE

TRAFFIC SIGNAL GONTROLLER

TRAFFIC SIGNAL GONTROLLER

TRAFFIC SIGNAL FOST 2 WAY

END SECTION METAL SEPTIC TANK VENT SEPTIC TANK SAMITARY MANHOLE JET STATION RAILROAD CROSSBUCK PAILROAD FLASHING SIGNAL REFLECTIVE PAVEMENT ABARKER 2 WAY

POWER POLE WITRANSFORMER & LIGHT OWER POLE WITRANSFORMER OWER POLE WITH LIGHT

MONUMENT

SOIL BORING CORES IN PAVEMENT TRAFFIC SIGNAL PED. PUSH BUTTON TRAFFIC SIGNAL PED. SIGNAL HEAD FLUSH OUT HYDRANT
FREE HYDRANE BOOM
FREE HYDRANE BOOM
FREE HYDRANE BOOM
FREE HYDRANE
FREE HYDRAN

GASMETER

GAS SERVICE BOX

ABLE TV PEDESTA

PE10707586 * PE10707586 Sic Kit 01/13/2025



ELEVATION 863.159 864.695 865.589

DRAWING TITLE

GENERAL INFORMATION

FORT HARRISON COLLECTION SYSTEM CAPACITY IMPROVEMENTS - PHASE III

2

L03624003 DRAWING No

DESIGNED BY: DRAWN BY: CHECKED BY: DATE CHECKED:

GENERAL NOTES

- THE LOCATION OF UTILITIES AND STRUCTURES, BOTH SURFACE AND SUBSURFACE, ARE SHOWN ON THE PLANS FROM DATA AVAILABLE AT THE TIME OF THE SURVEY AND ARE NOT NECESSARILY COMPLETE OR CORRECT. THE SEXACT LOCATION AND PROTECTION OF UTILITIES AND STRUCTURES IS THE RESPONSIBILITY OF THE CONTRACTOR, DURING CONSTRUCTION THE CONTRACTOR SHALL USE DILIGENCE TO PROTECT ALL EXISTING UTILITIES AND STRUCTURES WHETHER SHOWN ON THE PLANS OR NOT. IF DAMAGE IS CAUSED, THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REPARK AND RESTORATION OF SAME RICH ACCORDANCE WITH THE DIRECTIONS OF THE UTILITY AND THE OWNER'S REPRESENTATIVE AND FOR ANY RESULTING CONTINGENT DAMAGE.
- IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO MAINTAIN IN SERVICE ALL EXISTING UTILITIES ENCOUNTERED DURING CONSTRUCTION UNLESS OTHERWISE INDICATED ON THE DRAWNIES. ANY UTILITY WHICH CAME BE REMOYED DURING CONSTRUCTION WITHOUT UNDUE INTERRUPTION OF SERVICE MAY BE REMOYED AND REPLACED BY THE CONTRACTOR WITH THE PERMISSION OF THE UTILITY AND THE OWNER'S REPRESENTATIVE, ANY SUCH RELOCATION IS TO BE CONSIDERED AT THE CONTRACTORS DISCRETION AND INCIDENTAL TO THE CONTRACT.
- NETHER THE EXACT HORIZONTAL NOR VERTICAL LOCATION OF ANY BURRIED UTILITY IS SHOWN IN THE PLAN OR PROFILE UNLESS SPECIFIC LOCATIONS HAVE BEEN DETERMINED BY EXCANATION DURING DESIGN AND ARE IDENTIFIED AS SUCH, BEFORE WORKING WITH OR AROUND EXISTING UTILITIES, THE APPLICABLE UTILITY COMPANY BALL BE CONTRACTOR BY THE CONTRACTOR AND THE CONTRACTOR SHALL CORRONATE ALL UTILITY RELOCATION AS SUCH TO MINIMIZE DISTURBANCE TO THE CUSTOMER, CONTRACTOR SHALL LOCATE ALL UTILITIES CONTRACTOR SHALL DEFORMED TO THE CUSTOMER, CONTRACTOR SHALL LOCATE ALL UTILITIES OF THE CONTRACTOR SHALL DEFORMED TO OWNERS REPRESENTATIVE. ANY CONFLICTS BETWEEN EXISTING UTILITIES AND STRUCTURES AND SUBMIT ELEVATION DOCUMENTATION OF OWNERS REPRESENTATIVE ANY CONFLICTS BETWEEN EXISTING UTILITIES AND PROPOSED IMPROVEMENTS SHALL BE REPORTED TO OWNERS REPRESENTATIVE IMMEDIATELY.
- WHEN CONNECTIONS ARE TO BE MADE TO EXISTING PIPING AND STRUCTURES, THE LOCATION, SIZE, MATERIAL AND ELEVATION OF THE EXISTING PIPING SHALL BE FIELD VERHEID VIA POTHOLING OR EXCAVATION PRIOR TO LEW STRUCTURE MANUFACTURE AND NOTIFICATION GIVEN TO THE OWNERS REPRESENTATIVE IF THE EXISTING PIPING IS FOUND TO BE DIFFERENT THAN THAT SHOWN ON THE DRAWNINGS, COORDINATION AND PROPER FIT OF ALL PROJECT LELEMENTS IS THE RESPONSIBILITY OF THE CONTRACTOR, THE CONTRACTOR SHALL CONDUCT A PRE-CONSTRUCTION STACKED TO THE PROJECT ELEMENTS TO VERIET THE COORDINATES AND ELEVATIONS PROVIDED, SUSPECTED ERRORS PRE-CONSTRUCTION STACKED TO THE OWNERS REPRESENT ATIVE AND RESPONSIBLE CONSTRUCTION BEGINS, NO CLAIM FOR OR DISCREPANCIES SHALL BE REPORTED TO THE OWNERS REPRESENT ALLOHOUSED BEFORE CONSTRUCTION BEGINS NO CLAIM FOR ADDITIONAL TIME OR COMPENSATION, EXCEPT AS EXPRESSLY ALLOHED BY THE CONTRACT DOCUMENTS, SHALL BE MADE BY THE CONTRACTOR AS THE RESULT OF A DISCREPANCY BETWEEN PROVIDED INFORMATION AND ACTUAL CONDITIONS, OW WHERE KOUN PROPROMATION WAS AVAILABLE THE COST TO CORRECT ANY FACILITIES INSTALLED PRIOR TO VERHICATION OF EXISTING CONDITIONS BY THE CONTRACTOR SHALL BE AT NO COST TO THE OWNER.
- THE CONTRACTOR SHALL PRESERVE AND PROTECT PROPERTY MARKERS, SECTION CORNERS, SURVEY MARKS AND BENCH MARKS, SUCH AS STONES, PIPES OR OTHER MONUMENTS ENCOUNTERED. IF THE CONTRACTOR MUST RELOCATE THE PROPERTY MARKERS OR MONUMENTS, THERE LOCATION SHALL BE REFERENCED BY A REGISTERED LAND SURVEYOR AND THE OWNER NOTHED BEFORE MOVIMEN, ALL PROPERTY MARKERS AND MONUMENTS RELOCATED DURING CONSTRUCTION SHALL BE REESTABLISHED BY A REGISTERED LAND SURVEYOR AT THE
- THE CONTRACTOR SHALL FAMILIARIZE HIMSELF WITH THE AREA AND NO EXTRA COMPENSATION CONNECTED WITH OVERHEAD UTILITIES WILL BE ALLOWED. CONTRACTOR IS TO INCLUDE THE COST TO TEMPORABILY REMOVE, RESET, RELOCATE AND OR PERMANENT Y REPLACE EXISTING ELECTRICAL AND COMMUNICATION FOLLOWING COORDINATION BY THE CONTRACTOR WITH THE UTILITY OWNER(S).
- THE COST OF ABIDING BY THE PROVISIONS OF PERMITS ISSUED BY THE VARIOUS AGENCIES SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT. ALL ASSOCIATED BONDING REQUIREMENTS AND COSTS ARE INCIDENTAL TO THE CONTRACT.
- ALL APPLICABLE PROVISIONS OF THE CURRENT OCCUPATIONAL SAFETY AND HEALTH ACT (OSHA) ARE HEREIN INCORPORATED BY REFERENCE.
- THE CONTRACTOR IS SOLELY AND COMPLETELY RESPONSIBLE FOR JOB SITE CONDITIONS DURING THE COURSE OF CONSTRUCTION OF THIS PROJECT, INCLUDING THE SAFETY OF ALL PERSONS AND PROPERTY. THIS RECOURTERMENT SHALL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS. THE CONTRACTOR SHALL DEFEND, INDEMNIPY AND HOLD THE OWNER, OWNERS REPRESENTATIVE OR THE ENGINEER HARMESS FROM ALL LUBBLITY, REAL, OR ALLEGED, IN CONJUNCTION WITH THE PERFORMANCE OR WORK ON THE PROJECT EXCEPTING FOR LIABILITY ARISING FROM THE SOLE NEGLIGENCE OF THE OWNER, OWNERS SEPRESENTATIVE OR ENGINEER.
- INFORMATION ON DETAIL DRAWINGS TAKES PRIORITY OVER ALL GENERAL DRAWINGS AND SCHEDULES. CONFLICTS SHALL BE RESOLVED
- STRUCTURES, PAVEMENT, CURBS, SIDEWALKS AND OTHER APPURTENANCES WITHIN THE CONSTRUCTION LIMITS THAT ARE TO REMAIN WILL BE ADEQUATELY PROTECTED FROM DAMAGE, AND IF DAMAGED WILL BE REPLACED BY NO ADDITIONAL COST TO THE OWNER IN KIND AND IN CONFORMANCE WITH APPLICABLE STANDAGOS IN MATERIALS AND WORKMANSHEP. THE CONTRACTIOR IS SOLELY RESPONSIBLE FOR THE CONTROL, HANDLING, MAINTENANCE, ANDIOR PROPER DISPOSAL OF CONSTRUCTION RELATED DUST, WATER, NOISE, MATERIALS, DEBRIS AND CONTROL, HANDLING, MAINTENANCE, ANDIOR PROPER DISPOSAL OF CONSTRUCTION RELATED DUST, WATER, NOISE, MATERIALS, DEBRIS AND CONTROL, HANDLING, MAINTENANCE, ANDIOR PROPER DISPOSAL OF CONSTRUCTION RELATED DUST, WATER, NOISE, MATERIALS, DEBRIS AND CONTROL.
- THE CONTRACTOR SHALL SUBSCRIBE TO THE WORKING HOURS IDENTIFIED IN THE SUPPLEMENTARY CONDITIONS OF THE SPECIFICATIONS.
- CONSTRUCTION SHALL COMPLY, AT A MINIMUM, WITH THE MORE STRINGENT OF THE LATEST EDITIONS OF THE FOLLOWING:

- PROJECT MANUAL
 OF LAWRENGE WATER & SEWER DESIGN & CONSTRUCTION STANDARDS
 OTY OF LAWRENGE WATER & SEWER DESIGN & CONSTRUCTION SYSTEMS
 271 AC. 3, RULE 6, TECHNICAL STANDARDS FOR SANITARY COLLECTION SYSTEMS
 NIDIANA DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS, DRAWINGS, AND
 RECURRING SPECIAL PROVISIONS
- CONTRACTOR SHALL MAINTAIN EXISTING SEWER FLOWS AT ALL TIMES DURING CONSTRUCTION, BYPASS PUMPING OR TEMPORARY RE-ROUTING OF EXISTING SEWER, OR OTHER MEANS TO MAINTAIN EXISTING FLOWS DURING CONSTRUCTION MAY BE NECESSARY, COST FOR THE INSTALLATION, MAINTENANCE, AND REMOVAL OF SUCH BYPASS PUMPING, TEMPORARY REFAOLUTING, OR OTHER MEANS SHALL BE ROUTENTAL TO THE CONTRACT AND NO ADDITIONAL COMPRENISATION SHALL BE PAID TO THE CONTRACT AND NO ADDITIONAL COMPRENISATION SHALL BE PAID TO THE CONTRACT AND NO ADDITIONAL COMPRENISATION SHALL BE PAID TO THE CONTRACT AND NO ADDITIONAL COMPRENISATION SHALL BE PAID TO THE CONTRACT AND NO ADDITIONAL OR THE MOTELY.
- IF APPLICABLE CONTRACTOR IS TO ANTICIPATE THE NEEDS TO DEECANNECT KNOWN AND UNKNOWN EXISTING SANITARY LATERALS TO THE NEW SEWER THAT ARE CURRENTLY CONNECTED TO THE EXISTING SANITARY SEWER BEING REPLACED. CONNECTION SHALL BE VIA MANUFACTURED SADDLE TAP OR INSERTION THE PER THE SPECIFICATIONS AND DETAILS.
- THE CONTRACTOR SHALL COORDINATE ALL CONSTRUCTION ACTIVITIES WITH THE OWNERS OF PROPERTY ON OR NEAR WHERE CONSTRUCTION IS TAKING PLACE. THE CONTRACTOR SHALL DILIGENITLY ATTEMPT TO ACCOMMODATE THE INDRWAL ACTRACES OF PROPERTY OWNERS ALONG THE PROPERTY SHALL DALLY PROPERTY SHALL DRALY BE AND THE PROPERTY SHA ROMANL DALLY PROPERTY SHALL DRALY BE AND WELL CONTRACTOR SHALL PROPERTY SHE, CONTINUOUS PEDESTRUMA ACCESS TO ALL PROPERTY SHE POR NORMAL DALLY USE AND WELL COLLEGE OF THE REPORT OF PROVIDING MESTALUES AND MANY PROPERTY SHALL DRALY ACCESS THAT LINGUIS BUT NOT BE LIMITED TO PROVIDING MESTALUES AND MANY FAMILE OF THE ACCESS THAT LINGUIS SHEET WANTAL ACCESS IS HAMPERED BY CONSTRUCTION ACTIVITIES PRAFFICURE OF THAT MAY BE RECOURTED TO PROVIDE ACTIVITIES PRAFFICURE OF THAT MAY BE REPORTED TO THE ACCESS THAT HAY BE RECOURTED TO PROVIDE ACTIVITIES PRAFFICURE ACCESS ALL TEMPORARY ACCESS SHALL BE REMOVED AND ALL DISTURBED SURFACES OR THAT THAT MAY BE RECOURTED TO THE PROPERTY SURFACE OF THE PROPERTY SURFACE FOR TRAFFIC CONTROL AND TO PROVIDE AU SHALL BE RESTORED BY THE CONTRACTOR

P:\L0360021_FORT HARRISON SEWER-LS DESIGN\DESIGN\CAD\SHEETS\F

MINIMUM SEPARATION DISTANCES BETWEEN POTABLE WATER FACLITIES AND SANITARY/STORM FACILITIES MUST BE MANITANED AS DETAILED IN 227 IAS. 3, PULE 5, IT IS EMPHASIZED HAT A MINIMUM OF 8' OF SEPARATION BE PROVIDED HORIZONTALLY BETWEEN POTABLE WATER FACILITIES AND THE EXTEROIO PO SANITARY/STORM STRUCTURES, THE SEPARATION OF SANITARY SEWERS FROM WATER MAINS AND DRINKING WELLS MUST COMPLY WITH 27 IAC 3-8-9.

- ALL FLEXIBLE AND SEMI-RIGID GRANITY SEWER PIPE SHALL BE DEFLECTION TESTED. PIPE LESS THAN 27" IN DIAMETER SHALL BE TESTED WITH A CORRECTLY SIZED MANDREL FOR THE SPECIFIED DEFLECTION LIMIT. PIPE 27" AND GREATER SHALL BE TESTED WITH A MANDREL OR LASER PROFILED. TESTING SHALL BE FREE THE CONTRACT DOCUMENTS AND SHALL DECLED THE AND SHALL BE TESTED WITH A MANDREL OR LASER PROFILED. TESTING SHALL EXCEED A VERTICAL DEFLECTION OF 5%.
- ALL SANITARY GRAVITY SEWER PIPE IS TO BE TESTED FOR WATERTIGHTMESS PER THE CONTRACT DOCUMENTS AND IN ACCORDANCE WITH 327 IAC 3-5-19(d), ALL PIPES LESS THAN 27" IN DIAMETER SHALL BE TESTED USING THE LOW PRESSURE AIR TEST. ALL PIPES 27" AND GREATER IN DIAMETER SHALL BE TESTED AT EACH JOINT AS CONSTRUCTION PROGRESSES.
- MANHOLES SHALL BE LEAK TESTED IN ACCORDANCE WITH ASTM C1244-93, STANDARD TEST METHOD FOR CONCRETE SEWER MANHOLES BY I NEGATIVE AIR PRESSURE (VACUUM) TEST.
- THE CONTRACTOR SHALL ABIDE BY ALL REQUIREMENTS FOR DISPOSAL OF HAZARDOUS MATERIALS, INCLUDING PROVIDING DOCUMENTATION OF LEGAL DISPOSAL FOR REVIEW BY THE OWNER'S REPRESENTATIVE. THE COST OF THIS SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT.
- 22. CONTRACTOR SHALL NEATLY TRIM BRANCHES OR LIMBS THAT ARE IMPACTED BY EQUIPMENT OR IN THE WAY OF THE WORK, NO TREE SHALL BE CUT WITHOUT THE PRIOR WRITTEN PERMISSION OF THE OWNER UNLESS DESIGNATED BY THE CONTRACT DOCUMENTS FOR REMOVAL.
- 23. THROUGHOUT CONSTRUCTION UNTIL FINAL ACCEPTANCE OF THE WORK THE CONTRACTOR SHALL PREVENT UPLIFT OF STRUCTURES AND PIPING DUE TO BUOYANCY FORCES, DAMAGE DUE TO BUOYANCY DURING CONSTRUCTION SHALL BE REPAIRED BY THE CONTRACTOR AT NO COST TO THE OWNER.
- CONTRACTOR SHALL PROTECT ALL WORK AND EXCAVATIONS FROM FLOODING AND GROUNDWATER INTRUSION AS WORK PROGRESSES. THE ENDS OF NEWLY INSTALLED PIPE AND OPENINGS IN STRUCTURES WHERE WATER COULD ENTER THE SEWER SYSTEM SHALL BE BLOCKED OFF DAILY WITH A REMOVABLE WATERTIGHT PLUG.
- , NO EXCAVATED MATERIAL OR MATERIAL BROUGHT TO THE WORK SITE THAT IS NOT INCORPORATED INTO THE WORK SHALL REMAIN ON SITE AT COMPLETION. CONTRACTOR SHALL BE RESPONSIBLE FOR FINDING AND MAKING ARRANGEMENTS TO USE ANY AND ALL OFF-SITE, LEGAL DISPOSAL LOCATIONS AND FOR TRANSPORTING ALL EXCESS MATERIAL TO SAME.

25.

- . THE CONTRACTOR SHALL BE RESPONSIBLE FOR EROSION CONTROL MEASURES DURING CONSTRUCTION WHICH COMPLY WITH REQUIREMENTS OF THE IDEM CONSTRUCTION STORMWATER GENERAL PERMIT. THIS SHALL INCLUDE BUT NOT NECESSARILY LIMITED TO THE FOLLOWING: CREATING TEMPORARY CONSTRUCTION BUT AUTOCITION ENTENACES, PROVIDING APPROPRIATE RUNDOFE CONTROL FOR MATERIAL STORAGE AREAS, TEMPORARY CONCRETE TRUCK "WASH DOWN" AREAS, AND ANY OTHER AREAS SUBJECT TO RUNDOFF, TEMPORARY DEBRIS STORAGE AREAS, TEMPORARY OR PERMANENT EROSION CONTROL SIDE DITCH PROTECTION; SLOPE AND DITCH SEDIMENT CONTROL FENCE, MILLET PROTECTION, TEMPORARY OR PERMANENT EROSION CONTROL SIDE DITCH PROTECTION; SLOPE AND DITCH SEDIMENT CONTROL FENCE, MILLET PROTECTION, TEMPORARY OR PERMANENT EROSION CONTROL SIDE DITCH PROTECTION; SLOPE AND DITCH SEDIMENT CONTROL FENCE, MILLET PROTECTION, TEMPORARY OR PERMANENT EROSION CONTROL SIDE DITCH PROTECTION; SLOPE AND DITCH SEDIMENT CONTROL SIDE DITCH PROTECTION; SLOPE AND DITCH SEDIMENT CONTROL SIDE DITCH PROTECTION; SLOPE AND DITCH SEDIMENT CONTROL SIDE OF THE WORK.
- WORK NOT SPECIFIED FOR PAYMENT AS OR PART OF A SPECIFIC PAY ITEM SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT BY THE CONTRACTOR.
- CONTRACTOR SHALL PROVIDE TO OWNER PRE-CONSTRUCTION AND POST-GONSTRUCTION MARRATED VIDEOS OF THE CONDITIONS AT THE PROJECT SITE AND ADJACENT AREAS THAT MAY (OR WERE) IMPACTED BY CONSTRUCTION ACTIVITY, THE VIDEO SHALL BE COMPLETED BY AN INDEPENDENT, PROFESSIONAL VIDEOGRAPHER, PAYMENT FOR THIS SHALL BE INCLUDED IN THE MOBILIZATION AND DEMOBILIZATION PAY ITEM
- * PELOTO7586 * ME KEE 01/13/2025





B900 KEYSTONE CROSSING SUITE 475 INDIANAPOLIS, IN 46240

DESIG DRAWN CHECK DATE	PROJECT TITLE
NED BY: BY: ED BY: CHECKED	FORT HARRISON COLLECTION
01 BE 2 5	SYSTEM CAPACITY
0 0 701/202	IMPROVEMENTS - PHASE III

_03624003

ω





775 780 785 745 750 760 765 770 755 STA, 10+00 SEE PREVIOUS SHEET GRADE ALONG NEW SHAFTER RD SHAFTER RD STR# 308 48" MH N=1682582.10 E=228/31.50 RIM=770.70 IE=761.65'SE IE=761.55'NW STR# 308 NEW 30' SAN. 14+00 321: OF 18" @ 0.50% STA. 15+00 SEE NEXT SHEET 745 750 755 760 765 770 775 780 785 DESIGNED BY: DRAWN BY: CHECKED BY: DATE CHECKED: **Clark** Dietz PROJECT No. L03624003 FORT HARRISON COLLECTION SYSTEM CAPACITY IMPROVEMENTS - PHASE III REVISION PLAN & PROFILE

790 765 770 775 780 785 750 755 760 15+00 SEE PREVIOUS SHEET NEW 30' SAN. 16+00 TOP OF EX. 4" ELECTRIC = 769:22 17+00 SHAFTER RD SHAFTER RD ABANDONAN-PLACE APPROXIMATELY
297 FEET OF EX. 18" SANITARY SEWER
(SEE ABANDONMENT NOTES) EX. SANITARY SEWER AND MANHÔLES
(SHÓWN IN BACKGROUND FOR REFERENCE)
TO BE ABANDONED IN PLAGE
(SEÉ DETAIL) STR# 311]
48"MH
N=1681995;13
E=229173;24
RIM=776;72
IE=769.46 SE
IE=768.96 NW STA. 20+00 SEE NEXT SHEET 775 780 785 790 750 755 760 765 770 DESIGNED BY: JDD
OHAWN BY: AJD
CHECKED BY: BEP
DATE CHECKED: 01/01/2025 **Clark** Dietz PROJECT No. L03624003 REVISION FORT HARRISON COLLECTION ∞ PLAN & PROFILE SYSTEM CAPACITY IMPROVEMENTS - PHASE III 8900 KEYSTONE CROSSING SUITE 475 INDIANAPOLIS, IN 46240 17.844.8900 www.clark



